

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	data near provider with intermed\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 09:30
L2	3	data adj provider with trusted and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 09:33
L3	46	data adj provider with distribut\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 09:43
L4	22	data adj provider with provid\$3 near3 (link or address or pointer) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 09:49
L5	332	provider with account with (customer or client) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 09:50
L6	22	provider with account with (customer or client) and "713".clas. and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 09:50
L7	6686	(send\$ or transmit\$) near3 (link or pointer) near3 (data or media) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 10:15
L8	172	(send\$ or transmit\$) near3 (link or pointer) near3 (data or media) and "713".clas. and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 10:29
L9	0	data near provider near3 (upload\$ or submit\$ or transfer\$) near3 (link or pointer or address\$) near3 data and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 10:35
L10	79	(pointer or address or location) near3 download\$ and "713".clas. and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 10:42
L11	81	705/78.ccls. and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 10:43
L12	58	intermedia\$ near2 authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 10:44

L13	1	intermedia\$ near2 authenticat\$ with account and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:03
L14	3183	stor\$3 near3 (media or data) with account and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:04
L15	120	stor\$3 near3 (media or data) with account and "713".clas. and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:06
L16	90	stor\$3 near3 (media or data) with account and "380".clas. and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:06
L17	1	(user or client) adj directory with digital adj (data or media) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:08
L18	116	(user or client) adj directory with (data or media) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:12
L19	1	(user or client) adj directory with (data or media) with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:08
L20	0	intermedia\$ adj server with authenticat\$ with account and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:09
L21	7	(e\$mail with data) adj server and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:14
L22	0	(e\$mail) adj server with data adj provider and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:14
L23	51	server with data adj provider and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:18
L24	35	(client or user or customer) adj (directory or storage or space) with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:23

L25	1258	(transmit\$ or deliver\$ or send\$) near3 (data or media) near5 (user or customer or client) near2 (stor\$3 or account or directory) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:33
L26	74	(transmit\$ or deliver\$ or send\$) near3 (data or media) near5 (user or customer or client) near2 (stor\$3 or account or directory) and ("713". clas. or "380".clas.) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 11:35
L27	10	(US-6185683-\$ or US-6119229-\$ or US-6473781-\$ or US-6449621-\$ or US-6799165-\$ or US-6499106-\$ or US-6131162-\$ or US-6801935-\$ or US-6385655-\$).did. or (WO-9743717-\$).did.	USPAT; EPO	OR	ON	2005/01/18 12:06
L28	5	27 and public adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:12
L29	144	receiver near2 public adj key and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:13
L30	144	receiver near2 public adj key and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:13
L31	76	receiver near2 public adj key with encrypt\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:14
L32	0	receiver near2 public adj key with data adj provider and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:14
L33	0	(customer or user) near2 public adj key with data adj provider and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:14
L34	18	(customer or user) near2 public adj key with provider and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:15
L35	5	27 and public adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:17

L36	28	ACL with user with information and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:23
L37	155	(customer or client or receiver) adj2 (public adj key) with encrypt\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:24
L38	81	(customer or client or receiver) adj2 (public adj key) near2 encrypt\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:24
L39	164	establish\$ with connect\$ with user with authenticat\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:36
L40	5	27 and authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 12:37
L41	4	download\$ near2 (address or link) with (purchas\$ or buy\$) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:34
L42	10	(plurality or multiple) near authentication with level and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:37
L43	4	(plurality or multiple) near authentication with strength and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:38
L44	1	(plurality or multiple) near authentication with directory and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:38
L45	1	(plurality or multiple) near2 authentication with directory and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:38
L46	0	(plurality or multiple) near2 authentication with hierarchy and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:38
L47	51	(plurality or multiple) near2 authentication with access and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:48

L48	5237	access with control with level and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:48
L49	18	access with control with level near2 authenticat\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:56
L50	219	authenticat\$ with secondary and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:57
L51	0	authenticat\$ near (plurality or multiple) with access with directory and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:57
L52	197	authenticat\$ with access with directory and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:59
L53	1343	access adj level and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 13:59
L54	4	security adj level near2 directory and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:00
L55	84	security adj level with database and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:02
L56	16	different adj level with access with authenticat\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:02
L57	13	(US-6185683-\$ or US-6119229-\$ or US-6473781-\$ or US-6449621-\$ or US-6799165-\$ or US-6499106-\$ or US-6131162-\$ or US-6801935-\$ or US-6385655-\$ or US-6381602-\$ or US-6341351-\$ or US-6256737-\$). did. or (WO-9743717-\$).did.	USPAT; EPO	OR	ON	2005/01/18 14:05
L58	1	57 and acl	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:07
L59	8	authenticat\$ with password with ACL and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:08

L60	0	access near hierarchy with different near2 authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:08
L61	0	hierarchy with different near2 authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:08
L62	37	level with different near2 authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:25
L63	57	data near2 request with server with key and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:27
L64	678	request near2 key with data and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:27
L65	1	request near2 key with data with intermedia\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:28
L66	12	request\$ with data with decrypt\$ adj key with transmit\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:31
L67	0	transmit\$ adj content adj key with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:31
L68	0	transmit\$ adj contents adj key with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:31
L69	5	transmit\$ with contents adj key with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:32
L70	9	transmit\$ with decrypt\$ adj key with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:33
L71	10	57 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:35

L72	19	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key with receipt and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:38
L73	547	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:39
L74	0	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key with receivr and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:39
L75	32	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key with receiver and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:42
L76	5	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key with record and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:42
L77	41	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key with received with data and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:46
L78	1	(transmit\$ or send\$) adj2 (decrypt\$ or data) adj2 key with purchase and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:49
L79	4842	indicat\$ with reception with data and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:50
L81	1	indicat\$ near3 reception with data with recei\$ near2 key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:51
L82	6	indicat\$ with reception with data with recei\$ near2 key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:55
L83	285	receipt near2 data with key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:55
L84	6	receipt near2 data with key with deliver\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:56

L85	31	indicat\$ near3 data near2 (deliver\$ or sent) with key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 15:03
L86	0	delivery adj record with key with \$crypt\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 14:58
L87	1423	record with data near2 (deliver\$ or sent) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 15:03
L88	479446	record with data near2 (deliver\$ or sent) wit key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 15:03
L89	743	receiv\$3 near2 data with receiv\$ adj2 key and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 15:17
L90	1338	record\$ with (date or time) with data near2 received and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 15:17
L91	31	record\$ with (date or time) with key near2 received and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 15:18
S1	706	intermedia\$ with stor\$3 with address with data and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:46
S2	9	intermedia\$ with stor\$3 with address with data with directory and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:25
S3	76	authentikat\$ with (transmit\$ or send\$) near3 (ddress or location) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:53
S4	199	authentikat\$ with (transmit\$ or send\$) near3 (address or location) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:53
S5	125	authentikat\$ with (transmit\$ or send\$) near3 (address) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:56

S6	0	(trusted or intermedia\$) near2 stor\$3 near3 (address or location) with data with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:57
S7	0	(trusted or intermedia\$) near2 stor\$3 near3 (address or location) with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:57
S8	0	(trusted or intermedia\$) near2 stor\$3 with (address or location) with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:57
S9	2	(trusted or intermedia\$) with stor\$3 with (address or location) with authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:58
S10	3	(upload\$ or download\$) near2 (link or address) with (intermedia\$ or trusted) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 15:59
S11	1591	(transmit\$ or send\$) with (link or address) with (intermedia\$ or trusted) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:00
S12	3	data near2 provid\$ near2 address with (intermedia\$ or trust\$) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:01
S13	24	intermedia\$ near2 (database or server) with stor\$3 with (address or location) and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:05
S14	488	(data or file or document) near (address or location) with intermedia\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:06
S15	6	(data or file or document) near (address or location) with directory with intermedia\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:08
S16	2	"6067623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:09
S17	2	"6185683".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:13

S18	2	"6119229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:15
S19	2	"5633932".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:15
S20	2	"5629928".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:16
S21	3	"9743717".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:17
S22	1	"0113576".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:18
S23	4	"113576".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:18
S24	3	"200113576".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:19
S25	157	server adj2 stor\$3 with (address or location) near2 (data or file) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:21
S26	0	intermedia\$ near2 server adj2 stor\$3 with (address or location) near2 (data or file) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:21
S27	0	intermedia\$ with server adj2 stor\$3 with (address or location) near2 (data or file) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:21
S28	132	trusted adj2 party with authenticat\$ and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:21
S29	3	trusted adj2 party with authenticat\$ with (address or location) and @ad<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:22

S30	0	(transmit\$ or send\$) near2 (address or location) near2 (data or media or file) near3 authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:26
S31	8	(transmit\$ or send\$) with (address or location) near2 (data or media or file) near3 authenticat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:27
S32	46	(address or location) near2 (data or media or file) with authenticat\$.ab. and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:30
S33	28	storage adj information with data with intermedia\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:32
S34	440	transmit\$ adj address adj information and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:32
S35	123	transmit\$ adj address adj information and access with control\$3 and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:34
S36	9	transmit\$ adj address adj information with data near communicat\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:34
S37	3	transmit\$ adj2 address adj information with intermedia\$ and @aD<="20000721"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 16:42